#### PATENT COOPERATION TREATY

## **PCT**

REC'D 0 5 MAY 2006

PCT

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

A 11 11 11 11	amonto filo r	oforonoo				
Applicant's or agent's file reference 2529-10298		FOR FURTHER AC	TION	See Form PCT/IPEA/416		
International application No. PCT/EP2005/001367		International filing date (	day/month/year)	Priority date (day/month/year) 19.02.2004		
International INV. C08F		fication (IPC) or r	 national classification and IF	PC		
Applicant WALTECH	I AG et al.					
This report is the international preliminary examination report, established by this International Preliminary Examining     Authority under Article 35 and transmitted to the applicant according to Article 36.						
2. This F	2. This REPORT consists of a total of 4 sheets, including this cover sheet.					
3. This re						
a. ⊠						
Sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.						
b.   (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).						
	Relating t	o Sequence Lis	sting (see Section 802 of	the Administrative inst	ructions).	
	•					
4. This	eport conta	ins indications	relating to the following it	tems:		
⊠в	ox No. I	Basis of the re	eport			
□в	ox No. II	Priority				
□в	ox No. III	Non-establish	ment of opinion with rega	ard to novelty, inventive	e step and industrial applicability	
□в	ox No. IV	Lack of unity	of invention			
⊠в	ox No. V	applicability; c	citations and explanations	<ol> <li>with regard to novel s supporting such state</li> </ol>	ty, inventive step or industrial ement	
□в	ox No. VI	Certain docun				
	ox No. VII		ts in the international app			
□В	ox No. VIII		vations on the internation	nal application		
				T		
Date of sub	mission of the	e demand		Date of completion of t	tnis report	
19.12.200	)5			04.05.2006		
Name and mailing address of the international				Authorized officer	aches Patantam.	
preliminary examining authority:					Bothiches Latoutom. E	
European Patent Office D-80298 Munich				Boletti, C	· india	
	Tel. +49 8	39 2399 - 0 Tx: 52 89 2399 - 4465	23656 epmu d	Telephone No. +49 89	9 2399-8527	

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2005/001367

	Вох	No. I Basis of the report					
1.	With	Vith regard to the <b>language</b> , this report is based on					
	$\boxtimes$	the international application i	n the language in which it was filed				
		of a translation furnished for					
		<ul><li>☐ international search (under publication of the international preliminary experiments)</li></ul>	er Rules 12.3(a) and 23.1(b)) ional application (under Rule 12.4(a)) examination (under Rules 55.2(a) and/or 55.3(a))				
2.	hav	Nith regard to the <b>elements</b> * of the international application, this report is based on <i>(replacement sheets which</i> have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):					
	Des	scription, Pages					
	1-17	7	as originally filed				
	Clai	ims, Numbers					
	4-20	0	as originally filed				
	1-3,	, 21-24	received on 19.12.2005 with letter of 19.12.2005				
		a sequence listing and/or an	y related table(s) - see Supplemental Box Relating to Sequence Listing				
3.		The amendments have resu	lted in the cancellation of:				
		$\square$ the description, pages					
		☐ the claims, Nos.☐ the drawings, sheets/figs					
		☐ the sequence listing (spe	ecify):				
		☐ any table(s) related to se	equence listing (specify):				
4.	□ had Su <sub>l</sub>	d not been made, since they h upplemental Box (Rule 70.2(c))	shed as if (some of) the amendments annexed to this report and listed below have been considered to go beyond the disclosure as filed, as indicated in the ).				
		<ul><li>☐ the description, pages</li><li>☐ the claims, Nos.</li><li>☐ the drawings, sheets/figs</li></ul>					
		☐ the sequence listing (spe☐ any table(s) related to se	equence listing (specify):				
	*	If item 4 applies. so	ome or all of these sheets may be marked "superseded."				

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-20

No:

Claims

21-24

1-20

Inventive step (IS)

Yes: Claims

No:

Claims

Industrial applicability (IA)

Yes: Claims

1-24

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

#### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2005/001367

None of the prior art documents cited in the international search report discloses nor suggests the process representing the subject-matter of claims 1 to 20.

Independent to the process of obtainment, the high molecular mass acrylic polymer of claims 21 to 24 is already known from (D2) EP 0541201 (see p. 4, I. 40 to p. 5, I. 12) and (D3) JP 63230704 (see abstract).

Therefore, the subject-matter of claims 21-24 is not novel under art. 33(2) PCT.

19.Dez. 2005 18:03

RIEDERER HASLER PAT 081 3004599

Nr.5023 S. 3/10

18

#### Patent claims:

- Method of forming high-molecular polymers starting from gel-forming water-insoluble polymers, in particular polymers of the acrylic type, including the steps of:
  - a) dissolving an amount of at least one initiator-modifier compound of the general formula EHaO, EHaO<sub>2</sub>, EHaO<sub>3</sub> or EHaO<sub>4</sub> wherein
  - E is hydrogen or an alkali metal or alkali earth metal and

Ha is halogen

in an aqueous solution at a starting temperature;

- b) adding a gel-forming water insoluble polymer to the solution and mixing it therewith to form macro-aggregates from the polymers; and finally
- c) modifying the macroaggregates by heating or by irradiation to form water-soluble high-molecular polymers.
- Method of claim 1, wherein for the modification of the macro-aggregates
  the temperature of the solution is increased steadily or in intervals from
  the starting temperature to an elevated aging temperature for a predetermined time period,
- 3. Method of claim 1 or 2, further comprising the step of adding a reducing agent to the solution for the removal of excess initiator-modifier compound.
  - Method according to any of claims 1 to 3,, wherein the initiatormodifier compound is of the general formula EHaO, EHaO<sub>2</sub>,
     EHaO<sub>3</sub> or EHaO<sub>4</sub> wherein

E is hydrogen or an alkali metal or alkali earth metal and
Ha is halogen.

19.Dez. 2005 18:03

Nr.5023 S. 4/10

22

preferably between 5 and 10% per weight.

- 17 Method according to one of the claims 1 to 1716, wherein the pH of the reaction solution is kept between 5 and 14 and preferably between between 7 and 12.
- 18. Method according to one of the claims 1 to 1817, wherein the resulting reaction is aged at an aging temperature of 20 to 50 °C for at least 1 hour, preferably for at least 3 hours, and most preferably for at least 10 hours.
- 19 Method according to one of the claims 1 to 1918, wherein the reaction mixture is irradiated by electromagnetic radiation, preferably daylight, UV-light, penetrating  $(\gamma)$  and/or X-ray radiation.
- 20. Method according to one of the claims 1 to 2019, wherein the reaction mixture is agitated or stirred vigorously during and after the addition of the gel-forming water insoluble polymer.
- 21 High molecular mass acrylic polymer obtainable according to one of the claims 1 to 21 by the steps of:
  - a) dissolving an amount of at least one initiator-modifier compound of the general formula EHaO, EHaO<sub>2</sub>, EHaO<sub>3</sub> or EHaO<sub>4</sub> wherein
  - E is hydrogen or an alkali metal or alkali earth metal and
  - Ha is halogen

in an aqueous solution at a starting temperature;

b) adding a gel-forming water insoluble polymer of the acrylic type to the solution and mixing it therewith to form macro-aggregates from the

19.Dez. 2005 18:03

RIEDERER HASLER PAT 081 3004599

Nr.5023 S. 5/10

#### 229

### polymers; and finally

- c) modifying the macroaggregates by heating or by irradiation to form water-soluble high-molecular polymers.
- 22. Acrylic polymer according to claim  $2\underline{1}2$ , wherein the average molecular weight is between  $0.2 \times 10^6$  and  $15 \times 10^6$  a.u.
- 23. Acrylic polymer according to claim 22 21 or 2322, wherein the polymer is water soluble.
- 24. Acrylic polymer according to one of the claims 21 to 23 and further including the steps of one of the claims 2 to 20.